



EDYPRO
biotecnologia



**Increase the production and quality
of SWEET POTATO cultivation
through BIOTECHNOLOGY**



EDYPRO
biotecnología



Transplantation and Rooting in the field

Root Application

EDYPRO HUMECTANTE at the 1st Irrigation 20 L./ha.

ENRAIZANTE ESPECIAL at the 2nd Irrigation 10 L./ha.

and repeat after 8 days 5 L./ha.

COUPÉ REGENERACIÓN Plus at the 4th Irrigation 40 L./ha.

and repeat after 20 days 60 L./ha.



EDYPRO
biotecnologia



1st Induction to Production Treatment Foliar Application

Carry out 50-60 days after transplantation

FECUNDATOR	4 L. / 1000 L.
CA-FRUIT	3 L. / 1000 L.
ALGATRON	3 L. / 1000 L.
ULTRAMAN	2,5 L. / 1000 L.
MELASTOP	1,5 L. / 1000 L.

Broth Volume: 400 L./ha.



EDYPRO
biotecnologia



2nd Induction to Production Treatment Foliar Application

Carry out 6 days after the previous treatment

FECUNDATOR	4 L. / 1000 L.
CA-FRUIT	3 L. / 1000 L.
ALGATRON	3 L. / 1000 L.
ULTRAMAN	2,5 L. / 1000 L.
MELASTOP	1,5 L. / 1000 L.

Broth Volume: 500 L./ha.



EDYPRO
biotecnologia



Root stimulation Treatment

Root Application

Carry out 60 days after transplantation:

ORGANOVITAL PLUS

40 L. / ha.

Apply in a single irrigation without mixing with fertilizers.



EDYPRO
biotecnologia



3rd Induction to Production Treatment Foliar Application

Carry out 6 days after the previous treatment

FECUNDATOR	2,5 L. / 1000 L.
CA-FRUIT	3 L. / 1000 L.
ENDOFOSTEC	4 L. / 1000 L.
ULTRAMAN	2 L. / 1000 L.
MELASTOP	1,5 L. / 1000 L.

Broth Volume: 600 L./ha.



EDYPRO
biotecnologia



1st Bulb Fattening Treatment

Foliar Application

Carry out 6 days after the previous treatment

MAX QUALITY

4 L. / 1000 L.

CA-FRUIT

2 L. / 1000 L.

ULTRAZINC

2,5 L. / 1000 L.

EDYMAG

2,5 L. / 1000 L.

MELASTOP

1,5 L. / 1000 L.

Broth Volume: 600 L./ha.



EDYPRO
biotecnologia



2nd Bulb Fattening Treatment

Foliar Application

Carry out 6 days after the previous treatment

MAX QUALITY	4 L. / 1000 L.
EDYMAG	2,5 L. / 1000 L.
MADUR FRUIT FOLIAR	4 L. / 1000 L.
MELASTOP	1,5 L. / 1000 L.

Broth Volume: 700 L./ha.



EDYPRO
biotecnologia



3rd Bulb Fattening Treatment

Foliar Application

Carry out 6 days after the previous treatment

MADUR FRUIT FOLIAR	4 L. / 1000 L.
CA-FRUIT	2 L. / 1000 L.
ENDOFOSTEC	4 L. / 1000 L.
EDYMAG	2 L. / 1000 L.
MELASTOP	1,5 L. / 1000 L.

Broth Volume: 800 L./ha.